

Work Order ID 150952

Monday, September 26, 2016 7:55:30 AM

150952

Page 1

Item ID: D206-559-011

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: 206A/B Bearpaws

Start Date: 8/30/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 9/12/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan:

DAS
21
9-89

Date SEP 26 2016

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

DSI 9527

rev A

IIN-D206-559

rev L

DAS
21
9-89

SEP 26 2016

DAS
21
9-89

1609-26
3

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile and create labels per PPPD206-559-011 CHG007

X3

DAS
27
9-89

DAS
21
9-89

NOV 01 2016

SEP 26 2016

3

160

Pick Kit

0.00

160

Packaging

Memo

0.00

Packaging

3

SEP 29 2016

DAS
6
9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

Work Order ID 150952

Monday, September 26, 2016 7:55:30 AM

150952

Page 2

Item ID: D206-559-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: 206A/B Bearpaws

Start Date: 8/30/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 9/12/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

170

QC4- 100% Inspect kits for completeness

0.00

170

QC

Memo

0.02

Quality Control

X4
DAS
27
9-89

NOV 01 2016

180

Packaging

0.00

180

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPPD206-559-011
LOCATION: FG014X4
DAS
28
9-89
DAS
27
9-89

NOV 01 2016

190

QC21- Final Inspection - Work Order Release

0.00

190

QC

Memo

0.05

Quality Control

DAS
21
9-89

NOV 01 2016

DAS
21
9-89

NOV 01 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								

Picklist Print

Monday, September 26, 2016 7:55:36 AM

Work Order ID: 150952

Parent Item: D206-559-011

Parent Item Name: 206A/B Bearpaws

150952

D206-559-011

Start Date: 8/30/2016

Start Qty: 3.00

Required Date: 9/12/2016

Required Qty: 3.00

Comments:

IPP Rev:C04.02.17Blank size changedKJ/JLM

IPP Rev:D 07-01-02 Was K10007 JLM

IPP Rev:E 08-05-05 up a chg DD verified by:EC

IPP Rev:F 08-10-15 New Manufacturing Method JLM Verified

By:EC IPP Rev G 10.10.04 per DSI9527 EC verified by:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN4-17A Bolt		Purchased	No			160	Each	103.0000	8	24			
									**			SEP 29 2016	

DAS
28
6
9-89

Location	Loc Qty	Loc Code
ST343	103	
M135407	3	
M135464	50	
M135671	50	

24

AN4-20A Bolt		Purchased	No			160	Each	118.0000	8	24			
									**			SEP 29 2016	

DAS
6
9-89

Location	Loc Qty	Loc Code
GA	6	
m116419	6	
over003	100	
m135056	50	
m135600	50	
ST343	12	
m134943	12	

13

11

DAS
27
9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐								

Picklist Print

Monday, September 26, 2016 7:55:36 AM

Page 2

Work Order ID: 150952

Parent Item: D206-559-011

Parent Item Name: 206A/B Bearpaws

150952

D206-559-011

Start Date: 8/30/2016

Required Date: 9/12/2016

Start Qty: 3.00

Required Qty: 3.00

D2182B

Manufactured No

160 f

370.4918 1.666 4.998

**

SEP 29 2016

D2182B

Rubber Cushion - Black (\$Per Foot)

Location

Loc Qty

Loc Code

ST411

370.4918

108914

2.5

130427

17.9918

135093

350

D2274

Manufactured No

160 Each

29.0000 8 24

**

SEP 29 2016

D2274

Radius Block

Location

Loc Qty

Loc Code

FG

12

86855

12

ST006

11

144391

11

ST012a

6

147530

6

D2435

Manufactured No

160 Each

12.0000 2 6

**

SEP 29 2016

D2435

Bearpaw

Location

Loc Qty

Loc Code

ST

4

150371

4

ST446A

8

150969

8

DAS
27
9-89

DAS
28
6-89
9-89

DAS
6
9-89
28
9-89

DAS
6
9-89
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____	

Picklist Print

Monday, September 26, 2016 7:55:36 AM

Page 3

Work Order ID: 150952

Parent Item: D206-559-011

Parent Item Name: 206A/B Bearpaws

150952

D206-559-011

Start Date: 8/30/2016

Required Date: 9/12/2016

Start Qty: 3.00

Required Qty: 3.00

D2438	Manufactured	No	160	Each	33.0000	4	12
-------	--------------	----	-----	------	---------	---	----

D2438

Clamp

**

DAS
6
9-89 SEP 29 2016

Location

Loc Qty

Loc Code

ST542

33

147538

33

12

D2529	Manufactured	No	160	Each	0.0000	8	24
-------	--------------	----	-----	------	--------	---	----

D2529

Washer

MS21042L4

**

151561

DAS
6
9-89 SEP 29 2016

MS21042L4

Nut

**

DAS
6
9-89 SEP 29 2016

Location

Loc Qty

Loc Code

FP001

34

m133363

34

GA

404

m133769

104

m135058

300

OVER007

976

m135603

476

m135704

500

ST303

506

m135470

506

27

DAS
28
9-89

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																									
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																					
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																					
Root Cause		FAULT CATEGORY																																																											
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐

Picklist Print

Monday, September 26, 2016 7:55:36 AM

Page 4

Work Order ID: 150952

Parent Item: D206-559-011

Parent Item Name: 206A/B Bearpaws

150952

D206-559-011

Start Date: 8/30/2016

Required Date: 9/12/2016

Start Qty: 3.00

Required Qty: 3.00

NAS1149D0463J

Purchased

No

160

Each

2,771.000

16

48

NAS1149D0463.J

Washer

**

DAS 6 28 9-89

SEP 29 2016

DAS 27 9-89

Location

Loc Qty

Loc Code

GA

230

M132035

15

M134508

32

M135056

183

ST260a

2000

M135530

1000

M135671

1000

ST263

541

M135390

15

M135407

526

QS200-M44S

Purchased

No

160

Each

26.0000

2

6

QS200-M44S

CLAMP

**

DAS 6 28 9-89

SEP 29 2016

DAS 27 9-89

Location

Loc Qty

Loc Code

ST545

26

m131340

6

m133363

20

Monday, September 26, 2016 7:55:36 AM

Shop Packet Print

Page 4

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Manufacturing Process ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D206-559 REV. K OR EARLIER AND
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D206-559 REV. 2 OR EARLIER

REF. TCCA STC: SH92-17

REF. FAA STC: SH1031NE


PURPOSE:

For D206-559-011/-013/-021/-023/-031/-033 bearpaw kits, the AN4 bolts specified were for installation with the aft skidtube wearshoe removed. Bolt lengths are increased to accommodate installation with the skidtube wearshoe installed, which is more practical.

CHANGE:

The parts list is updated as shown on sheet 2 of this service instruction, for bearpaw kits: D206-559-011 at CHG 007, D206-669-013 at CHG 006, D206-559-021 at CHG 008, D206-559-023 at CHG 007, D206-559-031 at CHG 002, and D206-559-033 at CHG 002.

Figure 4 of D206-559 and Figure 32-3 of ICA-D206-559 are amended as follows:



**USE AN4-17A BOLTS WITH AN AN960JD416 (OR NAS1149D0463J) WASHER IF INSTALLING BEARPAW ON 3.0" DIA. TUBE OR SMALLER. USE AN4-20A BOLTS WITH TWO AN960JD416 WASHERS IF INSTALLING BEARPAW ON TUBE LARGER THAN 3.0" DIAMETER (DART TUBE). ADDITIONAL AN960JD416 WASHERS MAY BE ADDED UNDER NUT TO ENSURE 2-4 THREADS IN SAFETY. IT IS ALSO ACCEPTABLE TO USE LONGER/SHORTER AN4 BOLTS IF REQUIRED TO ENSURE BEARPAW IS HELD SECURELY.

FIGURE 4: TYPICAL CLAMPING DETAIL (D206-559)
FIGURE 32-3: TYPICAL CLAMPING DETAIL (ICA-D206-559)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.06.30
CERT. NO.: SH92-17
ISSUE NO.: 7

A	NEW ISSUE	CP	10.06.30
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9527	SHEET 1 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BOLT CHANGE	NTS
DATE	10.06.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

5.0 PARTS LIST (D206-559 REV. K)
32.7 PARTS LIST (ICA-D205-559 REV. 2)

Qty -011	Qty -013	Qty -021	Qty -023	Qty -031	Qty -033	Qty -113	Part Number	Description
X							D206-559-011	Bearpaw Kit 206 A/B
	X						D206-559-013	Bearpaw Kit 206 L/L1/L3/L4/407
		X					D206-559-021	Narrow Bearpaw Kit 206 A/B
			X				D206-559-023	Narrow Bearpaw Kit 206 L/L1/L3/L4/407
				X			D206-559-031	Wearplate Kit
					X		D206-559-033	Wearplate Kit
						X	D407-559-113	Large Bearpaw Kit 206 L/L1/L3/L4/407
4	6	4	6				D2182B050	RUBBER CUSHION
8	12	8	12			20	D2274	RADIUS BLOCK
2							D2435	19" X 16" BEARPAW
	2						D2432F	19" X 24" BEARPAW
		2					D2671	13" X 16" BEARPAW
			2				D2672F	13" X 24" BEARPAW
4	6	4	6				D2438	CLAMP
8	12	8	12				D2529	WASHER
	6		6				D2732-050	RUBBER CUSHION
						2	D3456-1	WASHER
					2		D3859-041	WEARPLATE
				2			D3860-041	WEARPLATE
						2	D4010-041	BEARPAW ASSEMBLY
						8	D4011-1	CLAMP, SHORT
						2	D4011-3	CLAMP, LONG
						8	D4011-5	CLAMP, SHORT (OEM)
						10	D4012-1	CUSHION
						2	AN4C10A	BOLT
8	12	8	12	8	12		AN4-17A	BOLT
8	12	8	12	8	12		AN4-20A	BOLT (WAS AN4-15A)
						4	AN4C13A	BOLT
						8	AN4C15A	BOLT
						8	AN4C17A	BOLT
16	24	16	24				AN960JD416	WASHER (OR NAS1149D0463J)
8	12	8	12	8	12		MS21042L4	NUT (OR MS21042-4)
						20	MS21043-4	NUT
				8	12		NAS1149D0463J	WASHER (OR AN960JD416)
2		2					QS200M44S	CLAMP

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)

DATE: 10.06.30
CERT. NO.: SH92-17
ISSUE NO.: 7

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9527	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		BOLT CHANGE	NTS
DATE	10.06.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

5.0 PARTS LIST

Qty -011	Qty -013	Qty -021	Qty -023	Qty -031	Qty -033	Qty -113	Part Number	Description
X							D206-559-011	Bearpaw Kit 206 A/B
	X						D206-559-013	Bearpaw Kit 206 L/L1/L3/L4/407
		X					D206-559-021	Narrow Bearpaw Kit 206 A/B
			X				D206-559-023	Narrow Bearpaw Kit 206 L/L1/L3/L4/407
				X			D206-559-031	Wearplate Kit
					X		D206-559-033	Wearplate Kit
						X	D407-559-113	Large Bearpaw Kit 206 L/L1/L3/L4/407
4	6	4	6				D2182B050	RUBBER CUSHION
8	12	8	12			16	D2274	RADIUS BLOCK
2							D2435	19" X 16" BEARPAW
	2						D2432F	19" X 24" BEARPAW
		2					D2671	13" X 16" BEARPAW
			2				D2672F	13" X 24" BEARPAW
4	6	4	6				D2438	CLAMP
8	12	8	12				D2529	WASHER
	6		6				D2732-050	RUBBER CUSHION
						8	D3456-1	WASHER
					2		D3859-041	WEARPLATE
				2			D3860-041	WEARPLATE
						8	D4011-1	CLAMP, SHORT
						8	D4011-5	CLAMP, SHORT (OEM)
						8	D4012-1	CUSHION
						2	D4355-1	BEARPAW
						2	D4360-041	WEARPLATE ASSEMBLY
						8	AN4C11A	BOLT
8	12	8	12	8	12		AN4-17A	BOLT
8	12	8	12	8	12		AN4-20A	BOLT
						16	AN4C20A	BOLT
						16	AN4C21A	BOLT
16	24	16	24	8	12	16	NAS1149D0463J	WASHER (OR AN960JD416)
8	12	8	12	8	12		MS21042L4	NUT (OR MS21042-4)
						24	MS21043-4	NUT
2		2					QS200M44S	CLAMP